

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF  
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAR 17 2003

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed MAR 17 2003 under 69738

\*\*\*\*\*

The applicant **MYLES CATANIA**, hereby makes application for permission to change the **Place of Use and Point of Diversion** of a portion of water heretofore appropriated under Permit **64580**

\*\*\*\*\*

1. The source of water is **Underground Source**
2. The amount of water to be changed **2 Acre Feet 0.00275 C.F.S.**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Domestic**
5. The water is to be diverted at the following point **within the Southwest Quarter (SW¼) of the Southeast Quarter (SE¼) of Section 25, T19S, R59E, MDM, or at a point from which the South One-Quarter (S¼) corner of said Section 25, T19S, R59E, MDM, Bears South 54°26'30" West a Distance of 1225.0 Feet.**
6. The existing permitted point of diversion is located **within the Southeast Quarter (SE¼) of the Southwest Quarter (SW¼) of Section 9, T22S, R60E, MDM, or at a point from which the Southwest Corner of said Section 9, T22S, R60E, MDM Bears South 72°05'26" West a distance of 1563.56 Feet.**
7. Proposed place of use **Lot 2 of Land Divisions 72-82, Being a portion of the Southwest Quarter (SW¼) of the Northeast Quarter (NE¼) of the Southwest Quarter (SW¼) of the Southeast Quarter (SE¼), Section 25, T19S, R59E, MDM. Assessor's Parcel No. 126-25-801-006**
8. Existing place of use **the West Half (W½) of the Southwest Quarter (SW¼) of the Southeast Quarter (SE¼) of the Southwest Quarter (SW¼) Section 9, T22S, R60E, MDM.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Well is complete, install totalizing Meter**
12. Estimated cost of works **\$1,000±**
13. Estimated time required to construct works **None, well is 8 inch steel cased, submersible pump, storage tank, booster pump, pressure tanks and**
14. Estimated time required to complete the application of water to beneficial use **3 Years**

15. Remarks: Water to be used by Main-Residence, Guest House and Landscaping.

By Myles Catania

s/Myles Catania

Agent: Fulstone Enterprises, Inc.

940 S. Martin L. King Blvd. LV NV 89106

Compared  $\frac{\text{cmf}}{\text{cac}}$   $\frac{\text{ag}}{\text{cmf}}$

Protested \_\_\_\_\_

\*\*\*\*\*

#### APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 64580 is issued subject to the terms and conditions imposed in said Permit 64580 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 69739 is granted to provide water service to one lot described by Clark County Assessor's Parcel Number 126-25-801-006.  
(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.00275 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 9, 2005

Proof of completion of work shall be filed on or before:

February 9, 2005

Water must be placed to beneficial use on or before:

January 9, 2007

Proof of the application of water to beneficial use shall be filed on or before:

February 9, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 9th day of January, A.D. 2004

  
State Engineer

MAR 02 2005

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed N/A

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

